

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

- CONCEPT INSTANCE CAPABLE OF BEING REPRESENTED BY LOWER LEVEL CONCEPT CAN ALWAYS BE REPRESENTED BY UPPER LEVEL CONCEPT
- CONTRARILY, CONCEPT INSTANCE CAPABLE OF BEING REPRESENTED BY UPPER LEVEL CONCEPT CAN NOT ALWAYS BE REPRESENTED BY LOWER LEVEL CONCEPT




- LOWER LEVEL CONCEPT ALWAYS HAS SLOT OF UPPER LEVEL CONCEPT
- IF UPPER AND LOWER LEVEL CONCEPTS HAVE COMMON SLOT AND SLOT APPLICATION RULE OF LOWER LEVEL CONCEPT IS SATISFIED, THEN SLOT APPLICATION RULE OF UPPER LEVEL CONCEPT IS ALWAYS SATISFIED

FIG. 7

CONCEPT "Concept" DEFINITION

SLOT TYPE	INSTANCE APPLICATION RULE	INSTANCE REQUEST RULE
ConceptType	Concept	Concept

66227 0207460

FIG. 6

66227 0007 2460

FIG. 9

CONCEPT "Trans" DEFINITION

SLOT TYPE	INSTANCE APPLICATION RULE	INSTANCE REQUEST RULE
ConceptType	<u>Trans</u>	<u>Trans</u>
Actor	List of <Person>	List of <Person>
Object	List of <Object>	List of <Object>
From	List of <Person> or <Space>	List of <Person> or <Space>
To	List of <Person> or <Space>	List of <Person> or <Space>

FIG. 10

CONCEPT "Get" DEFINITION

SLOT TYPE	INSTANCE APPLICATION RULE	INSTANCE REQUEST RULE
ConceptType	<u>Get</u>	<u>Get</u>
Actor	List of <Person>	List of <Person>
Object	List of <Object>	List of <Object>
From	List of <Person> or <Space>	List of <Person> or <Space>
To	<u>=Actor</u>	<u>=Actor</u>

FIG. 11

CONCEPT "Send" DEFINITION

SLOT TYPE	INSTANCE APPLICATION RULE	INSTANCE REQUEST RULE
ConceptType	<u>Send</u>	<u>Send</u>
Actor	List of <Person>	List of <Person>
Object	List of <Object>	List of <Object>
From	<u>=Actor</u>	<u>=Actor</u>
To	List of <Person> or <Space>	List of <Person> or <Space>

FIG. 12





FIG. 13

FIG. 14




FIG. 15





FIG. 16**FIG. 18****CONCEPT "Person" DEFINITION**

SLOT TYPE	INSTANCE APPLICATION RULE	INSTANCE REQUEST RULE
ConceptType	<u>Person</u>	<u>Person</u>
FirstName	CHARACTER STRING	CHARACTER STRING
MiddleName	CHARACTER STRING	CHARACTER STRING
LastName	CHARACTER STRING	CHARACTER STRING
Sex	male or female	male or female
Age	NUMERICAL VALUE	NUMERICAL VALUE
BelongsTo	List of <Organization>	List of <Organization>

FIG. 17**"send" INFORMATION**


ITEM	CONTENTS
SURFACE LAYER CHARACTER STRING	"send"
ConceptType	<u>Send</u>
CONCEPT INSTANCE REQUEST RULE	STORE CONCEPT INSTANCE OF List of <Person> IN Actor
	STORE CONCEPT INSTANCE OF List of <Object> IN Object
	STORE CONCEPT INSTANCE STORED IN Actor IN From
	STORE CONCEPT INSTANCE OF List of <Person> or <Space> IN To
SURFACE LAYER REQUEST RULE	ARRANGE IN WORD ORDER OF "send" [Object] "to" [To]
	ARRANGE IN WORD ORDER OF "send" [To] [Object]
	ARRANGE IN WORD ORDER OF "send" "to" [To]
	ABIDE BY RULE OF "VERB" OF ENGLISH GRAMMAR
	ABIDE BY RULE OF PRESENT TENSE OF ENGLISH GRAMMAR

63
 62
 61
 60
 59
 58
 57
 56
 55
 54
 53
 52
 51
 50
 49
 48
 47
 46
 45
 44
 43
 42
 41
 40
 39
 38
 37
 36
 35
 34
 33
 32
 31
 30
 29
 28
 27
 26
 25
 24
 23
 22
 21
 20
 19
 18
 17
 16
 15
 14
 13
 12
 11
 10
 9
 8
 7
 6
 5
 4
 3
 2
 1

FIG. 19**"mike" INFORMATION**

ITEM	CONTENTS
SURFACE LAYER CHARACTER STRING	"mike"
ConceptType	<u>Person</u>
CONCEPT INSTANCE REQUEST RULE	STORE "mike" IN FirstName
	STORE CHARACTER STRING IN MiddleName
	STORE CHARACTER STRING IN LastName
	STORE male IN Sex
	STORE NUMERICAL VALUE IN Age
	STORE CONCEPT INSTANCE OF List of <Organization> IN BelongsTo
SURFACE LAYER REQUEST RULE	ABIDE BY WORD ORDER OF "mike" [MiddleName] [LastName]
	ABIDE BY WORD ORDER OF "mike" [Sex] or [Age] or [BelongsTo]
	ABIDE BY RULE OF "NOUN" OF ENGLISH GRAMMAR

56221 0207 2450

FIG. 20

00440301260

FIG. 21

"Send to Mike"

FIG. 22




FIG. 23





FIG. 24



66227 0207 2150

FIG. 25

INPUT INFORMATION CONCEPT
INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	"Send"	CONCEPT 1

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	Send

*FIG. 26*INPUT INFORMATION CONCEPT
INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	"Send"	CONCEPT 1
2	"to"	CONCEPT 2

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	Send

CONCEPT INSTANCE 2

SLOT TYPE	INSTANCE
ConceptType	Concept

FIG. 27

INPUT INFORMATION CONCEPT
INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	"Send"	CONCEPT 1
2	"to"	CONCEPT 2
3	"Mike"	CONCEPT 3

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	Send

CONCEPT INSTANCE 2

SLOT TYPE	INSTANCE
ConceptType	Concept

CONCEPT INSTANCE 3

SLOT TYPE	INSTANCE
ConceptType	Person

66221 02012400

FIG. 28

INPUT INFORMATION CONCEPT
INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	"Send"	CONCEPT 1
2	"to"	CONCEPT 2
3	"Mike"	CONCEPT 3

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	Send

CONCEPT INSTANCE 2

SLOT TYPE	INSTANCE
ConceptType	Concept

CONCEPT INSTANCE 3

SLOT TYPE	INSTANCE
ConceptType	Person
FirstName	"mike"
Sex	male

66221 0001 452

FIG. 29

INPUT INFORMATION CONCEPT INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	"Send"	CONCEPT 1

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	Send
To	CONCEPT 3

CONCEPT INSTANCE 3

SLOT TYPE	INSTANCE
ConceptType	Person
FirstName	"mike"
Sex	male

FIG. 30




FIG. 31




FIG. 32





FIG. 33



66227 0307458



FIG. 34

FIG. 35



SECRET 0607462


FIG. 36

FIG. 37

APPLICABLE REQUEST LIST

ID	APPLICABLE REQUEST INFORMATION	INSTANCE	ORIGINAL REQUEST INFORMATION	ORIGINAL REQUEST ID
1	STORE CONCEPT INSTANCE OF List of <Person> IN Actor	CONCEPT 3	1	1
2	STORE CONCEPT INSTANCE OF List of <Object> IN Object	CONCEPT 3	1	2
3	STORE CONCEPT INSTANCE OF List of <Person> or <Space> IN To	CONCEPT 3	1	4
4	STORE "Mike" IN FirstName	NONE	3	1
5	STORE CHARACTER STRING IN MiddleName	CONCEPT 1	3	2
6	STORE CHARACTER STRING IN MiddleName	CONCEPT 2	3	2
7	STORE CHARACTER STRING IN LastName	CONCEPT 1	<u>3</u>	3
8	STORE CHARACTER STRING IN LastName	CONCEPT 2	<u>3</u>	3
9	STORE Male IN Sex	NONE	3	4

66227 DEC 4 1963

FIG. 38

APPLICABLE REQUEST LIST

ID	APPLICABLE REQUEST INFORMATION	INSTANCE	ORIGINAL REQUEST INFORMATION	ORIGINAL REQUEST ID
1	STORE CONCEPT INSTANCE OF List of <Person> IN Actor	CONCEPT 3	1	1
2	STORE CONCEPT INSTANCE OF List of <Object> IN Object	CONCEPT 3	1	2
3	STORE CONCEPT INSTANCE OF List of <Person> or <Space> IN To	CONCEPT 3	1	4
4	STORE CHARACTER STRING IN MiddleName	CONCEPT 1	3	2
5	STORE CHARACTER STRING IN MiddleName	CONCEPT 2	3	2
6	STORE CHARACTER STRING IN LastName	CONCEPT 1	<u>3</u>	3
7	STORE CHARACTER STRING IN LastName	CONCEPT 2	<u>3</u>	3

FIG. 39

APPLICABLE REQUEST LIST

ID	APPLICABLE REQUEST INFORMATION	INSTANCE	ORIGINAL REQUEST INFORMATION	ORIGINAL REQUEST ID
1	STORE "Mike" IN FirstName	NONE	3	1
2	STORE Male IN Sex	NONE	3	4

FIG. 40

APPLICABLE REQUEST LIST

ID	APPLICABLE REQUEST INFORMATION	INSTANCE	ORIGINAL REQUEST INFORMATION	ORIGINAL REQUEST ID
1	STORE CONCEPT INSTANCE OF List of <Person> or <Space> IN To	CONCEPT 3	1	4

FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	File
Name	"c: MyDoc\Report\June1998.doc"

CONCEPT INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	IMAGE SCREEN OPERATION	CONCEPT 1

FIG. 53**CONCEPT INSTANCE 1**

SLOT TYPE	INSTANCE
ConceptType	File
Name	"c: MyDoc\Report\June1998.doc"

CONCEPT INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	IMAGE SCREEN OPERATION	CONCEPT 1
2	SPEECH INPUT	CONCEPT 2

CONCEPT INSTANCE 2

SLOT TYPE	INSTANCE
ConceptType	Send
To	CONCEPT 4

CONCEPT INSTANCE 4

SLOT TYPE	INSTANCE
ConceptType	Person
FirstName	"mike"
Sex	male

FIG. 54

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	File
Name	"c: MyDoc\Report\June1998.doc"

CONCEPT INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	SPEECH INPUT	CONCEPT 2、

CONCEPT INSTANCE 2

SLOT TYPE	INSTANCE
ConceptType	Send
Object	CONCEPT 1
To	CONCEPT 4

CONCEPT INSTANCE 4

SLOT TYPE	INSTANCE
ConceptType	Person
FirstName	"mike"
Sex	male

FIG. 56

REQUEST LIST

ID	INPUT ID	CONCEPT REQUEST
1	1	REQUEST 1、

REQUEST 1

ID	REQUEST
1	STORE CONCEPT INSTANCE OF List of <Person> IN Actor
2	STORE CONCEPT INSTANCE OF List of <Object> IN Object
3	STORE CONCEPT INSTANCE STORED IN <u>Actor</u> IN From

FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61





FIG. 62



SECRET 0001 2460

FIG. 63

INPUT INFORMATION STORAGE TABLE

INPUT ID	KIND	CONTENTS
1	HAND-WRITTEN INFORMATION	"c: \MyDoc\Report\June1998.Doc"
2	KEY INFORMATION	" "
3	SPEECH INFORMATION	"Send to Mike"

FIG. 64

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	File
Name	"c: MyDoc\Report\June1998.doc"

CONCEPT INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	HAND-WRITTEN INPUT	CONCEPT 1




FIG. 65

CONCEPT INSTANCE 1

SLOT TYPE	INSTANCE
ConceptType	File
Name	"c: MyDoc\Report\June1998.doc"

CONCEPT INSTANCE LIST

ID	PROCESS OBJECT INFORMATION	CONCEPT INSTANCE
1	HAND-WRITTEN INPUT	CONCEPT 1
2	SPEECH INPUT	CONCEPT 2

CONCEPT INSTANCE 2

SLOT TYPE	INSTANCE
ConceptType	Send
To	CONCEPT 4

CONCEPT INSTANCE 4

SLOT TYPE	INSTANCE
ConceptType	Person
FirstName	"mike"
Sex	male

CONCEPT INSTANCE 1

CONCEPT INSTANCE LIST

CONCEPT INSTANCE 2

CONCEPT INSTANCE 4

SLOT TYPE	INSTANCE
ConceptType	Person
FirstName	"mike"
Sex	male

FIG. 67




FIG. 68






FIG. 69



655227 08014500

FIG. 70



**HAND-WRITTEN INPUT INFORMATION
STORAGE TABLE**

INPUT TIME	CONTENTS
13:45:14	"John"

**KEY INPUT INFORMATION
STORAGE TABLE**

INPUT TIME	CONTENTS
13:45:12	"c:\MyDoc\Report\June1998.Doc"

**SPEECH INPUT INFORMATION
STORAGE TABLE**

INPUT TIME	CONTENTS
13:45:11	"Send"
13:45:13	"to"
13:45:15	"at"

**IMAGE INPUT INFORMATION
STORAGE TABLE**

INPUT TIME	CONTENTS
13:45:16	"53, Nakahara-ku Kawasaki-shi"



KEY INPUT INFORMATION STORAGE TABLE

SPEECH INPUT INFORMATION STORAGE TABLE

IMAGE INPUT INFORMATION STORAGE TABLE

INPUT TIME	CONTENTS
13:45:16	"53, Nakahara-ku Kawasaki-shi"

FIG. 72

INPUT INFORMATION STORAGE TABLE

INPUT ID	INPUT TIME	KIND	CONTENTS
1	13 : 45 : 11	SPEECH INFORMATION	"Send"
2	13 : 45 : 12	KEY INFORMATION	"c : \MyDoc\Report\June1998.Doc"
3	13 : 45 : 13	SPEECH INFORMATION	"to"
4	13 : 45 : 14	HAND-WRITTEN INFORMATION	"John"
5	13 : 45 : 15	SPEECH INFORMATION	"at"
6	13 : 45 : 16	IMAGE INFORMATION	"53, Nakahara-ku Kawasaki-shi"

*FIG. 73*INPUT INFORMATION CONCEPT INSTANCE GENERATION
PROCESS INFORMATION

"Send c: \MyDoc\Report\June1998.Doc to John
at 53, Nakahara-ku Kawasaki-shi"